Montana Board of Oil and Gas Conservation <u>Environmental Assessment</u>

Operator: Continental Resources, Inc.
Well Name/Number: _Buffalo Creek 12-23SH
Location: SW NW Section 23 T6N R61E
County: Fallon , MT; Field (or Wildcat) West Cedar Hills Unit
Air Quality
(possible concerns)
Long drilling time: No, 20 to 30 days drilling time.
Unusually deep drilling (high horsepower rig): Yes, triple derrick drilling rig to go
10,844'MD/8814'TVD.
Possible H2S gas production: Yes, possible H2S gas production.
In/near Class I air quality area: No class I air quality area.
Air quality permit for flaring/venting (if productive): Yes, DEQ air quality permit required
<u>under 75-2-211.</u>
Mitigation:
_X Air quality permit (AQB review)
X Gas plants/pipelines available for sour gas
Special equipment/procedures requirements
Other:
Comments: No special concerns – using triple rig to drill to
<u>10,844'MD/8814'TVD.</u>
Water Quality
(possible concerns)
Salt/oil based mud: Yes, freshwater and freshwater mud system on surface hole and oil
based invert mud system on main hole and brine water for horizontal lateral
High water table: No high water table anticipated.
Surface drainage leads to live water:Yes, location is about, 1/32 of a mile to the east
of an unnamed ephemeral tributary drainage to Buffalo Creek. Within this ephemeral
drainage is a stock pond, about ½ of a mile to the south southeast from this
location.
Water well contamination: No, no water wells listed on GWIC website, within 1 mile of
this location in Montana. Surface hole will be drilled with freshwater and freshwater
mud. Surface casing will be cemented to surface from 1440'.
Porous/permeable soils: No, sandy clay soils.
Class I stream drainage: No Class I stream drainages in the area of review.
Mitigation:
X Lined reserve pit X Adequate surface casing
_ <u>x</u> Adequate surface casing Berms/dykes, re-routed drainage
Closed mud system
Off-site disposal of solids/liquids (in approved facility)
Other:
Comments:1440' of surface casing cemented to surface adequate to protect
freshwater zones.

Soils/Vegetation/Land Use

(possible concerns)
Steam crossings: No, stream crossing required.
High erosion potential: No, moderate cut, up to 16.6' and moderate fill, up to 11.3',
required
Loss of soil productivity: No, location will be restored after drilling, if nonproductive. If
productive unused portion of drillsite will be reclaimed
Unusually large wellsite: Large wellsite, 370'X400' location size required
Damage to improvements: Slight, surface use is grass land.
Conflict with existing land use/values:Slight
Mitigation
Avoid improvements (topographic tolerance)
Exception location requested
X Stockpile topsoil
Stream Crossing Permit (other agency review)
X Reclaim unused part of wellsite if productive
Special construction methods to enhance reclamation
X Other: Requires DEQ General Permit for Storm Water Discharge Associated
with Construction Activity, under ARM 17.30.1102(28).
Comments:Access will use existing county road and existing ranch trail. Existing
access trail will be upgrade for heavy truck use from the county road into this location.
A lined reserve pit will be used to hold drill cuttings and excess drilling fluids. Oil based
invert drilling fluids will be recycled after the well in finished drilling. Free liquids in the
reserve pit will be trucked to a Class II Disposal. Cuttings will be allowed to dry in the
reserve pit, after drying the cuttings will be buried in the lined reserve pit. No special
<u>concerns.</u>
Health Hazards/Noise
(possible concerns)
(possible concerns) Proximity to public facilities/residences: None within 1 mile of this location. Possibility of H2S: Yes, H2S possible.
Proximity to public facilities/residences: None within 1 mile of this location.
Proximity to public facilities/residences: None within 1 mile of this location. Possibility of H2S: Yes, H2S possible.
Proximity to public facilities/residences: None within 1 mile of this location. Possibility of H2S: Yes, H2S possible. Size of rig/length of drilling time: Triple drilling rig 20 to 30 days drilling time. Mitigation: X Proper BOP equipment
Proximity to public facilities/residences: None within 1 mile of this location. Possibility of H2S: Yes, H2S possible. Size of rig/length of drilling time: Triple drilling rig 20 to 30 days drilling time. Mitigation: _X Proper BOP equipment _ Topographic sound barriers
Proximity to public facilities/residences: None within 1 mile of this location. Possibility of H2S: Yes, H2S possible. Size of rig/length of drilling time: Triple drilling rig 20 to 30 days drilling time. Mitigation: _X Proper BOP equipment _ Topographic sound barriers _ H2S contingency and/or evacuation plan
Proximity to public facilities/residences: None within 1 mile of this location. Possibility of H2S: Yes, H2S possible. Size of rig/length of drilling time: Triple drilling rig 20 to 30 days drilling time. Mitigation: _X Proper BOP equipment _ Topographic sound barriers
Proximity to public facilities/residences: None within 1 mile of this location. Possibility of H2S: Yes, H2S possible. Size of rig/length of drilling time: Triple drilling rig 20 to 30 days drilling time. Mitigation: _X Proper BOP equipment _ Topographic sound barriers _ H2S contingency and/or evacuation plan _ Special equipment/procedures requirements _ Other:
Proximity to public facilities/residences: None within 1 mile of this location. Possibility of H2S: Yes, H2S possible. Size of rig/length of drilling time: Triple drilling rig 20 to 30 days drilling time. Mitigation: _X Proper BOP equipment _ Topographic sound barriers _ H2S contingency and/or evacuation plan _ Special equipment/procedures requirements _ Other: Comments: Adequate surface casing and operational BOP should mitigate any
Proximity to public facilities/residences: None within 1 mile of this location. Possibility of H2S: Yes, H2S possible. Size of rig/length of drilling time: Triple drilling rig 20 to 30 days drilling time. Mitigation: _X Proper BOP equipment _ Topographic sound barriers _ H2S contingency and/or evacuation plan _ Special equipment/procedures requirements _ Other:
Proximity to public facilities/residences: None within 1 mile of this location. Possibility of H2S: Yes, H2S possible. Size of rig/length of drilling time: Triple drilling rig 20 to 30 days drilling time. Mitigation: _X Proper BOP equipment _ Topographic sound barriers _ H2S contingency and/or evacuation plan _ Special equipment/procedures requirements _ Other: Comments: Adequate surface casing and operational BOP should mitigate any problems. No concerns
Proximity to public facilities/residences: None within 1 mile of this location. Possibility of H2S: Yes, H2S possible. Size of rig/length of drilling time: Triple drilling rig 20 to 30 days drilling time. Mitigation: _X Proper BOP equipment _ Topographic sound barriers _ H2S contingency and/or evacuation plan _ Special equipment/procedures requirements _ Other: _ Comments: Adequate surface casing and operational BOP should mitigate any problems. No concerns Wildlife/recreation
Proximity to public facilities/residences: None within 1 mile of this location. Possibility of H2S: Yes, H2S possible. Size of rig/length of drilling time: Triple drilling rig 20 to 30 days drilling time. Mitigation: _X Proper BOP equipment _ Topographic sound barriers _ H2S contingency and/or evacuation plan _ Special equipment/procedures requirements _ Other: _ Comments: Adequate surface casing and operational BOP should mitigate any problems. No concerns Wildlife/recreation (possible concerns)
Proximity to public facilities/residences: None within 1 mile of this location. Possibility of H2S: Yes, H2S possible. Size of rig/length of drilling time: Triple drilling rig 20 to 30 days drilling time. Mitigation:
Proximity to public facilities/residences: None within 1 mile of this location. Possibility of H2S: Yes, H2S possible. Size of rig/length of drilling time: Triple drilling rig 20 to 30 days drilling time. Mitigation: _X Proper BOP equipment _ Topographic sound barriers _ H2S contingency and/or evacuation plan _ Special equipment/procedures requirements _ Other: Comments: Adequate surface casing and operational BOP should mitigate any problems. No concerns Wildlife/recreation (possible concerns) Proximity to sensitive wildlife areas (DFWP identified): None identified. Proximity to recreation sites: Little Missouri National Grassland is about 1.5 miles to
Proximity to public facilities/residences: None within 1 mile of this location. Possibility of H2S: Yes, H2S possible. Size of rig/length of drilling time: Triple drilling rig 20 to 30 days drilling time. Mitigation: _X Proper BOP equipment _ Topographic sound barriers _ H2S contingency and/or evacuation plan _ Special equipment/procedures requirements _ Other: _ Comments: Adequate surface casing and operational BOP should mitigate any problems. No concerns Wildlife/recreation (possible concerns) Proximity to sensitive wildlife areas (DFWP identified): None identified. Proximity to recreation sites: Little Missouri National Grassland is about 1.5 miles to the northeast from this location across the state line in North Dakota.
Proximity to public facilities/residences: None within 1 mile of this location. Possibility of H2S: Yes, H2S possible. Size of rig/length of drilling time: Triple drilling rig 20 to 30 days drilling time. Mitigation: _X Proper BOP equipment _ Topographic sound barriers _ H2S contingency and/or evacuation plan _ Special equipment/procedures requirements _ Other: _ Comments: Adequate surface casing and operational BOP should mitigate any problems. No concerns Wildlife/recreation (possible concerns) Proximity to sensitive wildlife areas (DFWP identified): None identified. Proximity to recreation sites: Little Missouri National Grassland is about 1.5 miles to the northeast from this location across the state line in North Dakota. Creation of new access to wildlife habitat: No
Proximity to public facilities/residences: None within 1 mile of this location. Possibility of H2S: Yes, H2S possible. Size of rig/length of drilling time: Triple drilling rig 20 to 30 days drilling time. Mitigation: _X Proper BOP equipment _ Topographic sound barriers _ H2S contingency and/or evacuation plan _ Special equipment/procedures requirements _ Other: _ Comments: Adequate surface casing and operational BOP should mitigate any problems. No concerns Wildlife/recreation (possible concerns) Proximity to sensitive wildlife areas (DFWP identified): None identified. Proximity to recreation sites: Little Missouri National Grassland is about 1.5 miles to the northeast from this location across the state line in North Dakota.

Grouse and Sprague's Pipit. NH Tracker website lists four (4) species of concern. They
are the Baird's Sparrow, Sprague's Pipit, Chestnut Collared Longspur and the Greater Sage Grouse.
Mitigation:
Avoidance (topographic tolerance/exception)
<u>X</u> Other agency review (DFWP, federal agencies, DSL)
Screening/fencing of pits, drillsite
Other: Comments:Private surface grasslands. There maybe species of concern that
maybe impacted by this wellsite. We ask the operator to consult with the surface owner
as to what he would like done, if a species of concern is discovered at this location. The
Board of Oil & Gas has no jurisdiction over private surface lands.
Historical/Cultural/Paleontological
(possible concerns)
Proximity to known sites None identified.
Mitigation
avoidance (topographic tolerance, location exception)other agency review (SHPO, DSL, federal agencies)
other:
Comments: On private surface grasslands. There maybe possible
historical/cultural/paleontological sites that maybe impacted by this wellsite. We ask the
operator to consult with the surface owner as to his desires to preserve these sites or
not, if they are found during construction of the wellsite. The Board of Oil & Gas has no
jurisdiction over private surface lands.
Social/Economic
(possible concerns)
Substantial effect on tax baseCreate demand for new governmental services
Population increase or relocation
Comments:No concerns
Remarks or Special Concerns for this site
Well is a 10,844'MD/8814'TVD Red River Formation test.
Summary: Evaluation of Impacts and Cumulative effects
No long term impacts expected. Some short term surface impacts will occur.

I conclude that the approval of the subject Notice of Intent to Drill (does/<u>does not</u>) constitute a major action of state government significantly affecting the quality of the

human environment, and (does/ <u>does not</u>) require the preparation of an environmental impact statement.
Prepared by (BOGC): <u>/s/ Steven Sasaki</u> (title:) <u>Chief Field Inspector</u> Date: <u>September 22, 2011</u>
Other Persons Contacted:
Montana Bureau of Mines and Geology, GWIC website
(Name and Agency) Fallon County water wells
(subject discussed) November 22, 2010 (date)
US Fish and Wildlife, Region 6 website (Name and Agency) ENDANGERED, THREATENED, PROPOSED AND CANDIDATE SPECIES MONTANA COUNTIES, Fallon County (subject discussed)
September 22, 2011 (date)
Montana Natural Heritage Program Website (FWP) (Name and Agency) Heritage State Rank= S1, S2, S3, T6N R61E (subject discussed)
_ <u>September 22, 2011</u> (date)
If location was inspected before permit approval: Inspection date: Inspector: Others present during inspection: